


## Embedded Wireless RBLHGG-5acD




**Kode** : RBLHGG-5acD  
**Kategori** : SXT & LHG  
**Harga** : Rp 1.193.000,00

Produk MikroTik variant terbaru yang menggabungkan Antenna Grid Outdoor gain besar dengan RouterBoard yang memiliki banyak fitur. Mengutamakan gain antenna besar yang bisa digunakan di link wireless lebih jauh dari produk lain, siap digunakan di jaringan wireless backbone Anda.  
Menggunakan Standart Wireless 802.11a/n/ac

The Light Head Grid (LHG) is a compact and light 5GHz 802.11 a/n/ac wireless device with an integrated dual polarization 24.5 dBi grid antenna at a revolutionary price. It is perfect for point to point links or for use as a CPE at longer distances and supports Nv2 TDMA protocol. The grid design ensures protection against wind, and the fact that the antenna element is built into the wireless unit means no loss on cables.



The grid design ensures protection against wind, and the fact that the antenna element is built into the wireless unit means no loss on cables.



#### Antenna Specification :

Operating frequency	: 5150 - 5875 MHz
Antenna gain	: 24.5 +/- 0.5 dBi
Antenna beam width	: 7°
Cross polar	: 15 dBi
Port to port isolation	: 20 dB
Front to back ratio	: 25 dB
Return loss	: 10 dB
VSWR	: 1.925:1

#### Detail Barang:

- Routerboard RBLHGG-5acD dengan outdoor Grid Antenna 5Ghz 24.5dbi
- 1 port ethernet (1 untuk PoE)
- Power Adaptor 24 V
- Power over Ethernet Splitter
- 2 pcs metal ring
- Screw Kit

#### Spesifikasi RBLHGG-5acD

Product Code	RBLHGG-5acD
Architecture	ARM
CPU	IPQ-4018 716MHz
Current Monitor	No

Main Storage/NAND	16MB
RAM	256MB
SFP Ports	0
LAN Ports	1
Gigabit	Yes
Switch Chip	No
MiniPCI	0
Integrated Wireless	1
Wireless Standarts	802.11 a/n/c
Wireless Tx Power	25dbm
Integrated Antenna	Yes
Antenna Gain	24.5dbi
MiniPCle	0
SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	No
802.3af Support	No
POE Input	11-30V
POE Output	No
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimentions	450 x 450 x 145 mm
Operating System	RouterOS
Temperature Range	-40C .. +70C
RouterOS License	Level3

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : [http://www.mikrotik.co.id/produk\\_lihat.php?id=657](http://www.mikrotik.co.id/produk_lihat.php?id=657)

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [info@mikrotik.co.id](mailto:info@mikrotik.co.id)